

L Number	Hits	Search Text	DB	Time stamp
-	4111	709/223,224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:54
-	219	709/223,224.ccls. and (map or topology).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:55
-	274377	(view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or ((device or node or connector or element)) near3 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:11
-	2401	((view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or ((device or node or connector or element)) near3 type)) same (map or topology)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:57
-	1240	((view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or ((device or node or connector or element)) near3 type)) with (map or topology)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:57
-	9	(709/223,224.ccls. and (map or topology).ti,ab.) and (((view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or ((device or node or connector or element)) near3 type)) with (map or topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:58
-	53	(709/223,224.ccls. and (map or topology).ti,ab.) and ((view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or ((device or node or connector or element)) near3 type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:58
-	35	((709/223,224.ccls. and (map or topology).ti,ab.) and ((view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or ((device or node or connector or element)) near3 type))) and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:17
-	1333	(view\$3 or display\$3) near4 (map or topology) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:04
-	409	((view\$3 or display\$3) near4 (map or topology) with network).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:04

-	131	(((view\$3 or display\$3) near4 (map or topology) with network).ti,ab.) and (select\$3 or choos\$3).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:07
-	107	((view\$3 or display\$3) near4 (map or topology) with network) and shortest near3 path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:07
-	7224	(view\$3 or select\$3 or display\$3) near4 (router or switch or bridge or (select\$3 near2 (device or node or connector or element))) near4 only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:19
-	64	(((view\$3 or display\$3) near4 (map or topology) with network) and shortest near3 path) and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:16
-	1274	(view\$3 or display\$3) near4 (router or switch or bridge or (select\$3 near2 (device or node or connector or element))) near4 only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:20
-	1	(select\$3 near3 (device or node or element or connector) near3 type) and (select\$3 near3 (path or route) near3 type) and ((display\$3 or view\$3) near5 (map or topology))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:29
-	11	709/223,224.ccls. and ((view\$3 or display\$3) near4 (router or switch or bridge or (select\$3 near2 (device or node or connector or element))) near4 only)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 20:29

	L #	Hits	Search Text	DBs
1	L1	1735	topology near3 (database or stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
2	L4	815	1 with (node or element or link or connect\$3 or segment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L5	105558	(administrator or operator or manager) near4 (select\$3 or choos\$3 or indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L6	137	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT;
5	L8	21386	(shortest or fastest or quickest or closest) near6 (path or route or connect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L9	27	6 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT;
7	L10	7	9 and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
8	L11	0	1 and 709224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
9	L12	120	1 and 709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
10	L13	67	12 and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
11	L14	298	1 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT;
12	L15	145	14 and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT;
13	L16	194	13 or 15	USPAT; US-PGPUB; EPO; JPO; DERWENT;
14	L17	67	13 and 16	USPAT; US-PGPUB; EPO; JPO; DERWENT;
15	L18	18	13 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT;
16	L19	304	1 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT;
17	L20	34	1 and 5 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT;

	L #	Hits	Search Text	DBs
18	L21	5422	709/223,224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;
19	L22	27	1 and 8 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT;
20	L24	18	23 not 18	USPAT; US-PGPUB; EPO; JPO; DERWENT;
21	L23	18	(20 or 22) and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	223	topology with (shortest near3 (route or path))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	215	1 and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	109	1 and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	862	(discover\$3 or determin\$5 or identif\$4 or identification) with (route or path) with between with (node or computer) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	289	4 with (two or (start with end) or (destination with source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	337	4 with (two or (start with end) or (destination with source) or pair)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	229	6 and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	623	(discover\$3 or determin\$5 or identif\$4 or identification) near6 (route or path) with between with (node or computer) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	522	(discover\$3 or determin\$5 or identif\$4 or identification) near6 (route or path) with between near6 (node or computer) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	208	9 with (two or (start with end) or (destination with source) or pair)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	147	10 and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	833	709/223-226.ccls. and (route or path).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
13	L13	25	709/223-226.ccls. and (shortest near5 (route or path)).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	87	709/223-226.ccls. and (topology and (route or path)).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L17	105	3 not 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L18	60	(13 or 14) and (@ad<20001023 or @prad<20001023)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L19	52	18 not 11 not 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L20	8	((view\$3 or display\$3) near4 (map or topology) with network) and shortest near3 path) and (@ad<20001023 or @prad<20001023) and @pd>20030901	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L21	0	((discover\$3 or identify or identification or identified or identifying or discover\$3) near3 (shortest near3 path)) with (manag\$5 or administrator or gui or view\$2 or operator or user) and @pd>20030901	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L22	4	((start or source) with (end or destination) with ((discover\$3 or identify or identification or identified or identifying or discover\$3 or find\$3 or select\$3) near3 (shortest near3 path))) and (@ad<20001023 or @prad<20001023) and @pd>20030901	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB